

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/060,043	01/29/2002	Bruce D. Beneditz	67,036-003 (B05541-AT1) 6584 EXAMINER	
26096	7590 04/26/2004			
CARLSON, GASKEY & OLDS, P.C.			RIOS CUEVAS, ROBERTO JOSE	
400 WEST MAPLE ROAD SUITE 350			ART UNIT	PAPER NUMBER
BIRMINGHA	M, MI 48009		2836	
			DATE MAILED: 04/26/2004	4

Please find below and/or attached an Office communication concerning this application or proceeding.

. 4					
		Application No.	Applicant(s)		
		10/060,043	BENEDITZ ET AL.		
	Office Action Summary	Examiner	Art Unit		
		Roberto J Rios	2836		
Period fo	The MAILING DATE of this communication app or Reply	pears on the cover sheet with the c	orrespondence address		
THE - Exte after - If the - If NO - Failt Any	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply of period for reply is specified above, the maximum statutory period of the torque to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1) 又	Responsive to communication(s) filed on 29 Ja	anuary 2002.			
		action is non-final.			
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.				
Disposit	ion of Claims				
5)□ 6)⊠ 7)□	Claim(s) <u>1-19</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdray Claim(s) is/are allowed. Claim(s) <u>1-19</u> is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.			
Applicat	ion Papers	,			
10)🏻	The specification is objected to by the Examine The drawing(s) filed on 29 January 2002 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Ex	a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority ι	under 35 U.S.C. § 119				
a)	Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority documents application from the International Bureau See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been received (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachmen	• •				
1) ⊠ Notic 2) ∏ Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail Da	(PTO-413) te.		
3) 🔯 Inforr	nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date 01/29/2002.		atent Application (PTO-152)		

Art Unit: 2836

DETAILED ACTION

Oath/Declaration

1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because it does not clearly identify the mailing address of each inventor. Some inventor's mailing addresses only include a zip code but lack city and state information. Applicant is respectfully requested to provide said information to ensure proper mailing communication in the future. The complete mailing address may be provided in an application data sheet or a supplemental oath or declaration. See 37 CFR 1.63(c) and 37 CFR 1.76.

Claim Objections

2. Claim 2 is objected to because it should recite: "...which microprocessor <u>is</u> an active control microprocessor ..." in line 4. Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2836

4. Claims 1, 6 and 11 are rejected under 35 U.S.C. 102(e) as being anticipated by Heckmann et al (US patent 6,525,432).

As per claim 1, Heckmann et al (herein after Heckmann) teach a power distribution assembly comprising: a plurality of power modules for controlling multiple vehicle systems (Figure 2); a first microprocessor having a first serial bus in communication with each of said power modules; a second microprocessor having a second serial bus in communication with each of said power modules independent from said first serial bus (col. 2, line 13; col. 3, line 6; col. 3, line 50); a first power supply (E1) for powering said first microprocessor and each of said power modules; and a second power supply (E2) for powering said second microprocessor and each of said power modules independently from said first power supply (col. 3, line 6; Figure 2).

As per claim 6, Heckmann teaches said first and second microprocessors, said first and second power supplies, and said power modules comprising a master power distribution assembly (col. 2, line 8).

As per claim 11, Heckmann teaches a method of distributing power to a plurality of power modules in a power distribution assembly to control multiple systems comprising the steps of: (a) connecting a first serial bus between a first microprocessor and each of the power modules; (b) connecting a separate second serial bus between a second microprocessor and each of the power modules; powering each of the power modules and the first microprocessor with a first power supply; and (d) independently powering each of the power modules and the second microprocessor with a second power supply (col. 2, line 13; col. 3, line 6; col. 3, line 5; Figure 2).

Art Unit: 2836

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 2-4 and 12-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heckmann in view of Canter (US patent 6,528,901).

As per claims 2 and 12, Heckmann teaches providing a dual-processor redundant arrangement comprising said first and second buses but does not specifically disclose said microprocessors communicating via said separate buses to independently determine which microprocessor is an active control microprocessor and which microprocessor is a back-up control microprocessor. However, Canter teaches a dual-processor redundant arrangement, wherein said microprocessors communicating via said separate buses to independently determine which microprocessor is an active control microprocessor and which microprocessor is a back-up control microprocessor (col. 2, line 1; Figure 1).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's dual-processor redundant arrangement with Canter automatic protection switching system for the purpose of providing an automatic protection switching between said microprocessor when one of said microprocessor fails.

Art Unit: 2836

As per claims 3 and 13, Canter teaches said active control microprocessor transmitting and receiving data while said back-up control microprocessor only receives data until a determination is made by said first and second microprocessors to change said back-up control microprocessor to said active control microprocessor (col. 3, line 29).

As per claim 4, Canter teaches said first microprocessor actively monitoring the health of said second microprocessor via said first serial bus and said second microprocessor actively monitoring the health of said first microprocessor via said second serial bus (Figure 1; col. 2, line 61).

As per claim 14, Canter teaches the step of generating command data only from the active control microprocessor (col. 2, line 30).

As per claim 15, Canter teaches the first microprocessor actively monitoring the health of the second microprocessor via the first bus, the second microprocessor actively monitoring the health of the first microprocessor via the second bus, comparing the health of the active control microprocessor to a predetermined diagnostic and changing the back-up control microprocessor to active control microprocessor if the predetermined diagnostic is not satisfied (col. 3, line 29; Figure 1).

7. Claims 5 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heckmann in view of Simonelli et al (US patent 5,982,652).

As per claims 5 and 16, Heckmann teaches a dual-processor redundant system controlling a plurality of power modules but does not specifically disclose the power modules independently determining which microprocessor is in control through a

Art Unit: 2836

respective control bus. However, Simonelli et al (herein after Simonelli) teach a dual-processor redundant arrangement controlling a plurality of power modules, wherein the power modules independently determine which microprocessor is in control through a respective control bus (col. 4, line 1- col. 15, line 5).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's dual-processor redundant arrangement with Simonelli's power module individual determining function for the purpose of allowing said power modules to perform an automatic switching between said two microprocessors when one of said microprocessor fails.

8. Claims 7-9 and 17 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Heckmann in view of Bernier (US patent 6,664,656).

As per claims 7 and 17, Heckmann teaches providing a dual-processor redundant arrangement in a master power distribution assembly but does not specifically disclose controlling a remotely located satellite power distribution assembly through said dual-processor redundant arrangement. However, Bernier teaches a vehicle comprising a Main Power Distribution assembly, wherein electrical power is distributed to Remote Power Distribution Units, which contain power controllers and can be remotely turned off and on in response to data bus commands from the system controllers through a redundant data bus communication arrangement (col. 3, lines 10-23).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's dual-processor redundant arrangement with

Art Unit: 2836

Bernier's remotely control redundant function for the purpose of simplifying vehicle wiring.

As per claims 8 and 18, Heckmann teaches a master power distribution assembly comprising a plurality of power modules implementing a dual-processor redundant arrangement but does not specifically disclose controlling a remotely located satellite power distribution assembly through said dual-processor redundant arrangement. However, Bernier teaches a vehicle comprising a Main Power Distribution assembly, wherein electrical power is distributed to Remote Power Distribution Units, which contain power controllers and can be remotely turned off and on in response to data bus commands from the system controllers through a redundant data bus communication arrangement (col. 3, lines 10-23).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's dual-processor redundant arrangement with Bernier's remotely control redundant function for the purpose of simplifying vehicle wiring.

As per claim 9, Bernier teaches said satellite power modules receiving redundant command data from system controllers (col. 3, lines 10-23).

9. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Heckmann in view of Boran (US patent 6,513,055) and Cypress Semiconductor Corporation (Serializing High Speed Parallel Busses to Extend Their Operational Length).

Art Unit: 2836

As per claim 10, Heckmann teaches said dual-processor redundant arrangement but does not specifically disclose said microprocessors communicating with a vehicle data bus via a common high bandwidth parallel bus. However, Boran teaches that generally, the transmission of digital data for any significant distance in a vehicle is done serially to reduce wiring cost and weight and for processing circuitry receiving or transmitting the digital data, such as microprocessors, a parallel bus structure is normally used (col. 1, line 19). Moreover, Cypress Semiconductor Corporation (herein after Cypress) teaches that a parallel data bus is a high-bandwidth, high-speed bus that when operated over long distances encounter several data integrity problems which can be solved by converting the parallel streamed data into a series streamed data (pages 1-3).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's dual-processor redundant arrangement with Boran's and Cypress' parallel data bus for the purpose of allowing high speed processing communication while serially extending said parallel bus over long distances without affecting data integrity.

10. Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Heckmann in view of Bernier as applied to claim 18 above, and further in view of Morgan et al (US patent 5,764,502).

As per claim 19, the combination of Heckmann in view of Bernier teaches extending the dual-processor redundant arrangement to a satellite power distribution arrangement but does not specifically disclose a satellite power supply being able to

Art Unit: 2836

power said satellite power modules and said master power modules. However, Morgan et al (herein after Morgan) teach a vehicle power distribution arrangement comprising a redundant power distribution arrangement, wherein a plurality of power distribution assemblies are redundantly powered by their own power supply and the power supply of another power distribution assembly (Figure 1).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to modify Heckmann's power distribution arrangement with Morgan's redundant power distribution arrangement for the purpose of providing redundant power supply to all the power distribution assemblies.

11. Art of general nature relating to power distribution and data/power redundant systems has been cited for applicant's review.

Art Unit: 2836

Communication with PTO

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Roberto Rios whose telephone number is (571) 272-2056. In the event that Examiner Rios cannot be reached, his supervisor, Brian Sircus may be contacted at (571) 272-2800, ext. 36. The fax number for Before-Final communications and After-Final communications is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Roberto J. Rios Patent Examiner

CARCO